

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@epa.gov]; [Nonresponsive based on revised scope]@epa.gov]

From: [Nonresponsive based on revised scope]O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817 [Nonresponsive based on revised scope]
Sent: Fri 9/21/2018 7:56:47 PM (UTC)
Subject: Case# 47768, SDG# MC0X11 - Validated Data for Shiloh Church Road Site
47768 MC0X11 ltr.pdf
47768 MC0X11 SSR.pdf
EQulS 1 47768 MC0X11 VAL.xls
EQulS 2 47768 MC0X11 VAL.xls
EQulS 3 47768 MC0X11 VAL.xls
EQulS 47768 MC0X11 VAL.xls
47768 MC0X11 DVR.pdf

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# MC0X11. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, [Nonresponsive based on revised scope] by phone at [Nonresponsive based on revised scope] or e-mail at [Nonresponsive based on revised scope]@epa.gov if additional assistance is needed.

TO # 0002 TDF # 0818103



[Nonresponsive based on revised scope] Research Technician [Nonresponsive based on revised scope]@epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350